

SEDE CENTRAL DE ITW GLOBAL BRANDS

CAR CARE (OFICINA DE HOUSTON)

16200 Park Row Dr, suite 120 Houston, TX 77084

Ficha Técnica LIMPIADOR DE TAPICERÍA DRI-CLEAN BLUE CORAL®

DESCRIPCIÓN DEL PRODUCTO

Blue Coral Dri-Clean es un limpiador de interiores y quitamanchas fácil de usar para ayudar a eliminar derrames y manchas cotidianos en el automóvil o el hogar. La espuma penetrante levanta y suspende la suciedad para limpiar rápidamente alfombras y tapizados.

Seguro en nailon y otras superficies sintéticas.

Los ingredientes quitamanchas son eficaces en grasa, alquitrán, café, tinta, lápiz labial y más.

Neutraliza los olores para mantener fresco el interior del automóvil.



Size	US Item #	
22.8 oz	DC22	



SAFETY DATA SHEET

Revision Date 11-Jul-2018 Version 2

1. IDENTIFICATION

Product identifier

Product Name Blue Coral Dri-Clean Upholstery Cleaner

Other means of identification

Product Code 10519
Document SKU: DC22

Recommended use of the chemical and restrictions on use
Recommended Use Fabric Cleaner Consumer Use
Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Supplier Address</u> <u>Manufacturer Address</u> <u>Distributor</u>

ITW Global Brands 16200 Park Row, Suite 120 Houston, TX 77084

> May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

Company Phone Number 1-855-888-1988

24-hour emergency phone number

(CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

(RMPDC) 1-877-504-9352 (U.S.)

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Gases under pressure	Compressed gas

Label elements

Emergency Overview

Signal word Danger

May cause cancer May cause genetic defects

Pressurized container: may burst if heated



Appearance Clear Physical state Flammable Aerosol Liquid Odor Sweet

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not puncture or incinerate container

Contents under pressure and can explode when exposed to heat or open flame

May cause slip hazard if material gets on floor

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Keep out of reach of children

Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

Chemical Name	CAS No	Weight-%
WATER	7732-18-5	60 - 100
ISOBUTANE	75-28-5	1 - 5
MORPHOLINE	110-91-8	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Take off contaminated clothing and wash before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

Contents under pressure and can explode when exposed to heat or flames.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required. Slippery, can cause falls if walked on.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not puncture or incinerate cans. Contents under pressure. Handle in accordance with

good industrial hygiene and safety practice. Use personal protective equipment as required. Avoid contact with eyes. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a well-ventilated place. Keep cool. Keep away from sunlight, ignition sources and

other sources of heat. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ISOBUTANE	STEL: 1000 ppm	-	TWA: 800 ppm
75-28-5			TWA: 1900 mg/m ³
MORPHOLINE	TWA: 20 ppm	TWA: 20 ppm	IDLH: 1400 ppm
110-91-8	S*	TWA: 70 mg/m ³	TWA: 20 ppm
		(vacated) TWA: 20 ppm	TWA: 70 mg/m ³
		(vacated) TWA: 70 mg/m ³	STEL: 30 ppm
		(vacated) STEL: 30 ppm	STEL: 105 mg/m ³
		(vacated) STEL: 105 mg/m ³	
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles if splashing is likely to occur.

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Flammable Aerosol; Liquid

Appearance Clear Odor Sweet

Odor threshold No information available

Property Values Remarks • Method

No information available

9.5

pn Malting paint / francism paint

Melting point / freezing point

Boiling point / boiling range

Flash point

Evaporation rate

Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Water solubility
No information available
No information available
No information available
Typical 0.97 @ 20°C
Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)

No information available
No information available
<4

Density 970 gm/cm3 @ 20°C **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
WATER	> 90 mL/kg (Rat)	-	-
7732-18-5			
ISOBUTANE	-	-	= 658 mg/L (Rat) 4 h
75-28-5			
MORPHOLINE	= 1050 mg/kg (Rat)	310 - 810 mg/kg (Rabbit)	= 8000 ppm (Rat) 8 h
110-91-8			,

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
MORPHOLINE	-	Group 3	-	-
110-91-8		·		

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Target Organ Effects Central nervous system.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas) 6920208 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
ISOBUTANE 75-28-5	2.88
MORPHOLINE 110-91-8	-2.55

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesRecover or recycle if possible. Disposal should be in accordance with applicable regional,

national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number No information available

14. TRANSPORT INFORMATION

DOT

UN/ID No UN 1950

Proper shipping name: Aerosols, Flammable liquid, Limited Quantity (LQ)

Hazard Class 2.1

IATA

UN/ID No UN 1950

Proper shipping name: Aerosols, Flammable liquid, Limited Quantity (LQ)

Hazard Class 2.1

IMDG

UN/ID No UN 1950

Proper shipping name: Aerosols, Flammable liquid, Limited Quantity (LQ)

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

TSCA Complies Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ISOBUTANE	X	X	X
75-28-5			
MORPHOLINE	X	X	X
110-91-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 1 Instability 0 - HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 11-Jul-2018

Revision Note 3

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet