

SEDE CENTRAL DE ITW GLOBAL BRANDS

CAR CARE (OFICINA DE HOUSTON)

16200 Park Row Dr, suite 120 Houston, TX 77084

# Ficha Técnica ADITIVO LÍQUIDO LIMPIA PARABRISAS RAIN-X®

# **DESCRIPCIÓN DEL PRODUCTO**

Simplemente agregue el aditivo para líquido lavaparabrisas Rain-X & al agua o cualquier líquido lavaparabrisas para aplicar la tecnología Rain-X & .

# **CARACTERÍSTICAS Y BENEFICIOS**

- Aplica instantáneamente la tecnología Rain-X al parabrisas.
- Mejora la visibilidad, la seguridad y la comodidad de conducción.
- Mejora la limpieza del parabrisas.

# **DIRECCIONES**

Rocíe el producto directamente sobre el vidrio, una sección a la Agregue 4 onzas líquidas para tratar 1 galón completo de agua corriente o líquido de lavado en el tanque de lavado.



Size	US Item #
16.9 oz	RX11806D



# SAFETY DATA SHEET

Revision Date 23-Jun-2018 Version 2

# 1. IDENTIFICATION

**Product identifier** 

Product Name Rain-X Washer Fluid Additive

Other means of identification

Product Code 31037

**Document** SKU: RX11314, RX11806D

Recommended use of the chemical and restrictions on use

Recommended Use Windshield washer fluid additive

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address

ITW Global Brands 16200 Park Row, Suite 120

Houston, TX 77084

Distributor

May Also Be Distributed by:

Manufactured and Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

Company Phone Number 1-855-888-1988

24-hour emergency phone number

(CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

(RMPDC) 1-877-504-9352 (U.S.)

E-mail address: SDS@itwgb.com

# 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

### Label elements

### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear Physical state Liquid Odor Slight Alcohol

**Precautionary Statements - Storage** 

\_\_\_\_\_

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

- Causes mild skin irritation

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance(s)

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	1 - 5
Isopropanol	67-63-0	1 - 5

Any concentration shown as a range is due to batch variation.

### 4. FIRST AID MEASURES

### Description of first aid measures

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** Wash off immediately with plenty of water.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

### Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Not applicable

### Unsuitable extinguishing media

None.

### Specific hazards arising from the chemical

Will not burn or support combustion.

### **Explosion data**

\_\_\_\_\_

**Sensitivity to Mechanical Impact** None. **Sensitivity to Static Discharge** None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Slippery, can cause falls if walked on. Avoid contact with skin, eyes and inhalation of

vapors.

Environmental precautions

**Environmental precautions** See section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Slippery, can cause falls if walked on. Collect spillage.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes. Avoid breathing vapors or mists. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep from freezing. Keep in a dry place. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	_
		(vacated) S*	
		S*	
Isopropanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear

Odor Slight Alcohol

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 6.5

Melting point / freezing point No information available

Boiling point / boiling range No information available 93 °C / 199

۰F

Flash point No information available (Aqueous)

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure Not Applicable

Vapor density No information available

Relative density 0.992

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** No information available Kinematic viscosity **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

**VOC Content (%)** 2.4935 **Density** 8.28 lb/gal

Bulk density No information available

### 10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

### Chemical stability

Stable under recommended storage conditions

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Keep from freezing.

### Incompatible materials

Strong oxidizing agents

### **Hazardous Decomposition Products**

None under normal use conditions

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Inhalation** Avoid breathing vapors or mists. May cause irritation.

**Eye contact** May cause eye irritation with susceptible persons.

**Skin contact** May cause irritation.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h
Isopropanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ (Rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

				,
Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-
Isopropanol 67-63-0	-	Group 3	<del>-</del>	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target Organ Effects Blood, Central nervous system, Eyes, Hematopoietic System, kidney, Liver, Respiratory

system, Skin.

# The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 36336 mg/kg
ATEmix (dermal) 20542 mg/kg
ATEmix (inhalation-dust/mist) 116 mg/l

ATEmix (inhalation-vapor) 34789 mg/l

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

6.8065 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

### **Mobility**

Disperses in water.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Isopropanol 67-63-0	0.05

### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Isopropanol	Toxic	
67-63-0	Ignitable	

# 14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

IATA

Proper shipping name: Not regulated

**IMDG** 

Proper shipping name: Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

EINECS/ELINCS Does not comply
ENCS Does not comply

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-Butoxyethanol - 111-76-2	1.0	
Isopropanol - 67-63-0	1.0	

### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Deionized Water	-	-	X
7732-18-5			
2-Butoxyethanol	X	X	X
111-76-2			
Isopropanol	X	X	X
67-63-0			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# **WHMIS Hazard Class**

D2A - Very toxic materials, D2B - Toxic materials, Non-controlled

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0

Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 23-Jun-2018

Revision Note 2

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**